

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013

Part of body	Part of body code <sup>2</sup>	Local govern-ment <sup>3</sup>	Summary occupational groups <sup>4</sup>					
			Manage-ment, business, and financial occupa-tions	Computer, engi-neering, and science occupa-tions	Education, legal, community service, arts, and media occupa-tions	Healthcare practi-tioners and technical occupa-tions	Service occupa-tions	Sales and related occupa-tions
Total .....		180,130	3,100	940	28,220	7,520	89,240	460
<b>Head</b> .....	1	12,550	320	30	2,970	320	5,470	–
Head, unspecified .....	10	2,900	40	–	770	90	1,210	–
Cranial region, including skull .....	11	3,600	200	–	1,010	120	1,500	–
Cranial region, unspecified .....	110	620	–	–	40	40	360	–
Brain .....	111	2,380	190	–	900	70	860	–
Scalp .....	112	450	–	–	30	–	190	–
Skull .....	113	140	–	–	30	–	90	–
Ear(s) .....	12	360	–	–	80	–	270	–
Face .....	13	5,240	50	–	1,000	120	2,190	–
Face, unspecified .....	130	650	–	–	250	20	260	–
Forehead .....	131	380	–	–	50	–	270	–
Eye(s) .....	132	2,160	20	–	280	60	760	–
Nose, nasal cavity .....	133	840	–	–	200	–	510	–
Nose, except internal location of diseases or disorders .....	1330	830	–	–	200	–	500	–
Cheek(s) .....	134	80	–	–	20	–	–	–
Jaw, chin .....	135	260	–	–	50	–	80	–
Mouth .....	136	250	–	–	70	–	80	–
Mouth, unspecified .....	1360	20	–	–	–	–	–	–
Lip(s) .....	1361	80	–	–	30	–	30	–
Tooth (teeth) .....	1363	110	–	–	20	–	30	–
Multiple mouth locations .....	1368	50	–	–	–	–	20	–
Multiple face locations .....	138	510	–	–	60	–	180	–
Face, n.e.c. ....	139	100	–	–	–	–	30	–
Multiple head locations .....	18	440	20	–	100	–	300	–
<b>Neck, including throat</b> .....	2	3,460	–	–	500	90	1,470	–
Neck, except internal location of diseases or disorders .....	20	3,460	–	–	500	90	1,470	–
<b>Trunk</b> .....	3	40,720	600	140	4,160	1,990	21,100	160
Trunk, unspecified .....	30	90	–	–	40	–	20	–
Chest, including ribs, internal organs .....	31	3,040	40	–	480	160	1,780	–
Chest, except internal location of diseases or disorders .....	310	2,290	30	–	470	150	1,070	–
Internal chest location, unspecified .....	311	150	–	–	–	–	140	–
Heart .....	313	490	–	–	–	–	460	–
Lung(s), pleura .....	315	110	–	–	–	–	110	–
Back, including spine, spinal cord ..	32	31,570	370	110	2,960	1,660	15,730	150

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013  
—Continued

Part of body	Summary occupational groups <sup>4</sup>					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total .....	7,020	80	8,920	10,150	4,550	19,360
<b>Head</b> .....	410	—	960	660	110	1,300
Head, unspecified .....	130	—	450	50	20	150
Cranial region, including skull .....	90	—	210	190	—	250
Cranial region, unspecified .....	—	—	80	80	—	—
Brain .....	70	—	120	100	—	50
Scalp .....	—	—	—	—	—	190
Skull .....	—	—	—	—	—	—
Ear(s) .....	—	—	—	—	—	—
Face .....	190	—	280	420	90	890
Face, unspecified .....	20	—	50	—	—	30
Forehead .....	—	—	—	—	—	—
Eye(s) .....	90	—	180	250	50	450
Nose, nasal cavity .....	—	—	20	70	—	—
Nose, except internal location of diseases or disorders .....	—	—	20	70	—	—
Cheek(s) .....	—	—	—	—	—	—
Jaw, chin .....	—	—	—	—	—	110
Mouth .....	30	—	—	30	—	—
Mouth, unspecified .....	—	—	—	—	—	—
Lip(s) .....	—	—	—	—	—	—
Tooth (teeth) .....	20	—	—	20	—	—
Multiple mouth locations .....	—	—	—	—	—	—
Multiple face locations .....	—	—	—	—	20	200
Face, n.e.c. .....	—	—	—	—	—	—
Multiple head locations .....	—	—	—	—	—	—
<b>Neck, including throat</b> .....	60	—	120	180	90	930
Neck, except internal location of diseases or disorders .....	60	—	120	180	90	930
<b>Trunk</b> .....	920	—	2,370	2,550	1,740	4,930
Trunk, unspecified .....	—	—	—	—	—	20
Chest, including ribs, internal organs .....	30	—	100	110	50	280
Chest, except internal location of diseases or disorders .....	20	—	100	110	50	260
Internal chest location, unspecified .....	—	—	—	—	—	—
Heart .....	—	—	—	—	—	—
Lung(s), pleura .....	—	—	—	—	—	—
Back, including spine, spinal cord ..	780	—	1,920	2,020	1,620	4,220

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local govern-ment <sup>3</sup>	Summary occupational groups <sup>4</sup>					
			Manage-ment, business, and financial occupa-tions	Computer, engi-neering, and science occupa-tions	Education, legal, community service, arts, and media occupa-tions	Healthcare practi-tioners and technical occupa-tions	Service occupa-tions	Sales and related occupa-tions
Back, including spine, spinal cord, unspecified .....	320	12,270	200	20	1,000	400	6,470	—
Thoracic region .....	321	1,420	—	—	140	200	320	—
Lumbar region .....	322	16,820	150	40	1,640	1,010	8,370	150
Sacral region .....	323	90	—	—	—	—	60	—
Coccygeal region .....	324	230	—	—	50	—	130	—
Multiple back regions .....	328	730	—	20	120	40	370	—
Abdomen .....	33	1,640	—	—	60	90	960	—
Abdomen, except internal location of diseases or disorders .....	330	1,560	—	—	60	90	900	—
Internal abdominal location, unspecified .....	331	50	—	—	—	—	40	—
Intestines, peritoneum .....	335	30	—	—	—	—	20	—
Intestines, peritoneum, unspecified .....	3350	20	—	—	—	—	20	—
Pelvic region .....	34	3,090	100	30	380	50	1,890	—
Hip(s) .....	341	1,630	90	—	300	30	900	—
Pelvis .....	342	340	—	—	—	—	300	—
Buttock(s) .....	343	180	—	—	40	—	50	—
Groin .....	344	810	—	—	—	—	560	—
External reproductive tract structures .....	345	50	—	—	—	—	30	—
Scrotum .....	3451	20	—	—	—	—	—	—
Multiple pelvic region locations .....	348	20	—	—	20	—	—	—
Pelvic region, n.e.c. .....	349	30	—	—	—	—	30	—
Multiple trunk locations .....	38	1,280	100	—	250	30	720	—
<b>Upper extremities</b> .....	4	42,990	560	180	4,490	2,190	23,580	160
Upper extremities, unspecified .....	40	90	—	—	—	—	40	—
Shoulder(s), including clavicle(s), scapula(e) .....	41	13,380	250	40	1,180	930	6,790	40
Arm(s) .....	42	6,660	50	110	760	360	3,790	30
Arm(s), unspecified .....	420	1,790	—	—	290	140	820	—
Upper arm(s) .....	421	1,360	—	90	120	90	840	—
Elbow(s) .....	422	2,130	20	—	240	110	1,260	—
Forearm(s) .....	423	1,200	—	—	90	20	740	—
Multiple arm locations .....	428	110	—	—	—	—	80	—
Elbow(s) and arm(s) .....	4281	50	—	—	—	—	30	—
Multiple arm locations, n.e.c. .....	4289	60	—	—	—	—	50	—
Arm(s), n.e.c. .....	429	70	—	—	—	—	50	—
Wrist(s) .....	43	5,510	100	20	880	250	2,830	70
Hand(s) .....	44	13,110	100	—	1,150	480	7,590	20
Hand(s), unspecified .....	440	3,560	20	—	150	100	2,310	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013  
—Continued

Part of body	Summary occupational groups <sup>4</sup>					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Back, including spine, spinal cord, unspecified .....	310	—	950	780	800	1,300
Thoracic region .....	20	—	50	250	—	400
Lumbar region .....	430	—	860	960	790	2,420
Sacral region .....	—	—	—	—	—	—
Coccygeal region .....	—	—	—	—	—	40
Multiple back regions .....	—	—	50	30	20	70
Abdomen .....	—	—	120	210	30	140
Abdomen, except internal location of diseases or disorders .....	—	—	110	210	30	140
Internal abdominal location, unspecified .....	—	—	—	—	—	—
Intestines, peritoneum .....	—	—	—	—	—	—
Intestines, peritoneum, unspecified .....	—	—	—	—	—	—
Pelvic region .....	80	—	200	170	20	180
Hip(s) .....	30	—	90	40	—	140
Pelvis .....	—	—	—	—	—	—
Buttock(s) .....	40	—	20	—	—	—
Groin .....	—	—	80	100	—	40
External reproductive tract structures .....	—	—	—	—	—	—
Scrotum .....	—	—	—	—	—	—
Multiple pelvic region locations .....	—	—	—	—	—	—
Pelvic region, n.e.c. .....	—	—	—	—	—	—
Multiple trunk locations .....	—	—	30	30	—	80
<b>Upper extremities</b> .....	<b>1,710</b>	<b>20</b>	<b>2,010</b>	<b>2,790</b>	<b>1,190</b>	<b>3,990</b>
Upper extremities, unspecified .....	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	380	—	860	700	320	1,860
Arm(s) .....	260	—	260	470	90	410
Arm(s), unspecified .....	110	—	80	160	50	110
Upper arm(s) .....	—	—	40	80	—	50
Elbow(s) .....	100	—	90	100	20	140
Forearm(s) .....	30	—	50	130	—	100
Multiple arm locations .....	—	—	—	—	—	—
Elbow(s) and arm(s) .....	—	—	—	—	—	—
Multiple arm locations, n.e.c. .....	—	—	—	—	—	—
Arm(s), n.e.c. .....	—	—	—	—	—	—
Wrist(s) .....	380	—	150	230	70	500
Hand(s) .....	440	—	560	1,230	650	880
Hand(s), unspecified .....	300	—	70	280	—	310

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local govern-ment <sup>3</sup>	Summary occupational groups <sup>4</sup>					
			Manage-ment, business, and financial occupa-tions	Computer, engi-neering, and science occupa-tions	Education, legal, community service, arts, and media occupa-tions	Healthcare practi-tioners and technical occupa-tions	Service occupa-tions	Sales and related occupa-tions
Hand(s), except finger(s) .....	441	850	—	—	30	40	590	—
Finger(s), fingernail(s) .....	442	8,200	80	—	880	340	4,410	20
Finger(s), fingernail(s), unspecified .....	4420	6,490	50	—	570	250	3,620	20
Fingernail(s), nailbed(s) .....	4421	130	—	—	—	30	80	—
Fingertip(s) .....	4422	460	—	—	70	—	110	—
Finger(s), fingernail(s), n.e.c. ....	4429	1,120	30	—	230	60	600	—
Hand(s) and finger(s) .....	448	390	—	—	70	—	220	—
Hand(s), n.e.c. ....	449	120	—	—	20	—	60	—
Multiple upper extremities locations	48	4,220	60	—	510	160	2,520	—
Multiple upper extremities locations, unspecified .....	480	40	—	—	—	—	20	—
Hand(s) and arms(s) .....	481	270	—	—	40	—	160	—
Hand(s) and arm(s), unspecified .....	4810	110	—	—	20	—	80	—
Hand(s) and elbow(s) .....	4811	60	—	—	—	—	30	—
Hand(s) and arm(s), n.e.c. ....	4819	100	—	—	—	—	50	—
Hand(s) and wrist(s) .....	482	880	—	—	80	—	620	—
Wrist(s) and arm(s) .....	483	530	—	—	100	—	300	—
Wrist(s) and arm(s), unspecified .....	4830	140	—	—	20	—	50	—
Wrist(s) and elbow(s) .....	4831	220	—	—	50	—	160	—
Wrist(s) and arm(s), n.e.c. ....	4839	170	—	—	40	—	90	—
Shoulder(s) and arm(s) .....	484	1,100	20	—	140	70	460	—
Multiple upper extremities locations, n.e.c. ....	489	1,400	20	—	150	60	960	—
Upper extremities, n.e.c. ....	49	20	—	—	—	—	—	—
<b>Lower extremities</b> .....	5	45,690	920	260	9,080	1,610	21,190	70
Lower extremities, unspecified .....	50	60	—	—	—	—	20	—
Leg(s) .....	51	25,350	360	140	4,540	810	12,270	40
Leg(s), unspecified .....	510	1,670	30	—	210	50	830	—
Thigh(s) .....	511	1,260	50	—	260	—	740	—
Knee(s) .....	512	19,570	260	120	3,650	600	9,220	40
Lower leg(s) .....	513	1,860	—	—	300	140	940	—
Multiple leg locations .....	518	960	—	—	130	—	520	—
Multiple leg locations, unspecified .....	5180	90	—	—	—	—	—	—
Knee(s) and leg(s) .....	5181	800	—	—	110	—	500	—
Multiple leg locations, n.e.c. ....	5189	70	—	—	—	—	20	—
Leg(s), n.e.c. ....	519	30	—	—	—	—	20	—
Ankle(s) .....	52	10,650	320	40	2,500	560	4,560	—
Foot (feet) .....	53	7,240	210	70	1,600	200	3,060	30
Foot (feet), unspecified .....	530	4,490	40	30	950	120	2,040	30

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013  
—Continued

Part of body	Summary occupational groups <sup>4</sup>					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Hand(s), except finger(s) .....	—	—	40	60	20	50
Finger(s), fingernail(s) .....	80	—	430	840	610	510
Finger(s), fingernail(s), unspecified .....	60	—	280	730	500	410
Fingernail(s), nailbed(s) .....	—	—	—	—	—	—
Fingertip(s) .....	—	—	90	50	90	40
Finger(s), fingernail(s), n.e.c. .....	—	—	60	60	20	60
Hand(s) and finger(s) .....	50	—	20	20	—	—
Hand(s), n.e.c. .....	—	—	—	30	—	—
Multiple upper extremities locations .....	250	—	150	160	70	340
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—
Hand(s) and arms(s) .....	20	—	40	—	—	—
Hand(s) and arm(s), unspecified .....	—	—	—	—	—	—
Hand(s) and elbow(s) .....	—	—	20	—	—	—
Hand(s) and arm(s), n.e.c. ....	20	—	—	—	—	—
Hand(s) and wrist(s) .....	30	—	—	20	—	80
Wrist(s) and arm(s) .....	60	—	—	30	—	—
Wrist(s) and arm(s), unspecified .....	30	—	—	—	—	—
Wrist(s) and elbow(s) .....	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	30	—	—	—	—	—
Shoulder(s) and arm(s) .....	70	—	70	100	—	180
Multiple upper extremities locations, n.e.c. .....	60	—	20	—	50	60
Upper extremities, n.e.c. .....	—	—	—	—	—	—
<b>Lower extremities</b> .....	1,870	30	2,340	2,860	650	4,640
Lower extremities, unspecified .....	—	—	30	—	—	—
Leg(s) .....	1,100	—	1,210	1,890	380	2,540
Leg(s), unspecified .....	90	—	80	50	90	240
Thigh(s) .....	40	—	20	30	—	100
Knee(s) .....	890	—	1,000	1,580	250	1,900
Lower leg(s) .....	70	—	80	110	20	190
Multiple leg locations .....	20	—	20	110	—	120
Multiple leg locations, unspecified .....	—	—	—	—	—	—
Knee(s) and leg(s) .....	—	—	20	110	—	20
Multiple leg locations, n.e.c. ....	—	—	—	—	—	20
Leg(s), n.e.c. ....	—	—	—	—	—	—
Ankle(s) .....	310	—	500	500	110	1,200
Foot (feet) .....	350	—	500	440	140	620
Foot (feet), unspecified .....	290	—	390	200	140	260

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local govern-ment <sup>3</sup>	Summary occupational groups <sup>4</sup>					
			Manage-ment, business, and financial occupa-tions	Computer, engi-neering, and science occupa-tions	Education, legal, community service, arts, and media occupa-tions	Healthcare practi-tioners and technical occupa-tions	Service occupa-tions	Sales and related occupa-tions
Sole(s) .....	531	460	20	—	30	—	230	—
Sole(s), unspecified .....	5310	100	—	—	—	—	40	—
Arch(es), instep(s) .....	5312	40	—	—	—	—	40	—
Heel(s) .....	5313	320	—	—	30	—	150	—
Toes(s), toenail(s) .....	532	1,810	150	—	590	40	670	—
Multiple foot (feet) locations .....	538	340	—	—	20	—	30	—
Foot (feet), n.e.c. .....	539	130	—	—	—	—	90	—
Multiple lower extremities locations .....	58	2,390	20	—	440	40	1,270	—
Multiple lower extremities locations, unspecified .....	580	100	—	—	20	—	—	—
Foot (feet) and leg(s) .....	581	290	—	—	100	—	70	—
Foot(feet) and leg(s), unspecified .....	5810	60	—	—	—	—	40	—
Foot(feet) and knee(s) .....	5811	130	—	—	30	—	20	—
Foot(feet) and leg(s), n.e.c. ....	5819	90	—	—	50	—	—	—
Foot (feet) and ankle(s) .....	582	600	—	—	140	—	280	—
Ankle(s) and leg(s) .....	583	850	—	—	110	30	570	—
Ankle(s) and leg(s), unspecified .....	5830	40	—	—	—	—	20	—
Ankle(s) and knee(s) .....	5831	720	—	—	80	20	520	—
Ankle(s) and leg(s), n.e.c. ....	5839	90	—	—	30	—	30	—
Multiple lower extremities locations, n.e.c. .....	589	560	—	—	70	—	340	—
<b>Body systems</b> .....	6	5,130	100	30	780	220	2,430	—
<b>Multiple body parts</b> .....	8	27,370	540	260	5,940	1,050	12,610	60
Multiple body parts, unspecified ....	80	2,910	50	—	520	160	1,090	—
Head and neck .....	81	520	—	—	120	30	270	—
Head, neck, and trunk .....	82	500	—	—	—	—	40	—
Head and trunk .....	83	200	—	—	40	—	90	—
Neck and back .....	84	1,670	—	60	220	30	780	—
Shoulder(s) and back .....	85	710	—	—	90	20	430	—
Hip(s) and leg(s) .....	86	240	—	—	20	—	130	—
Upper and lower limb(s) .....	87	2,720	40	—	640	80	1,310	—
Other multiple body parts .....	89	17,900	410	40	4,270	720	8,470	20
Whole body .....	891	150	—	—	—	—	100	—
Multiple body parts, n.e.c. ....	899	17,750	410	40	4,260	710	8,370	20

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013  
—Continued

Part of body	Summary occupational groups <sup>4</sup>					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Sole(s) .....	—	—	—	30	—	100
Sole(s), unspecified .....	—	—	—	—	—	50
Arch(es), instep(s) .....	—	—	—	—	—	—
Heel(s) .....	—	—	—	30	—	60
Toes(s), toenail(s) .....	50	—	40	40	—	220
Multiple foot (feet) locations .....	—	—	60	160	—	30
Foot (feet), n.e.c. .....	—	—	—	—	—	—
Multiple lower extremities locations .....	100	—	110	30	20	280
Multiple lower extremities locations, unspecified .....	—	—	—	—	—	—
Foot (feet) and leg(s) .....	40	—	—	—	—	70
Foot(feet) and leg(s), unspecified .....	—	—	—	—	—	—
Foot(feet) and knee(s) .....	40	—	—	—	—	40
Foot(feet) and leg(s), n.e.c. ....	—	—	—	—	—	30
Foot (feet) and ankle(s) .....	20	—	60	—	—	60
Ankle(s) and leg(s) .....	30	—	20	20	—	50
Ankle(s) and leg(s), unspecified .....	—	—	—	—	—	—
Ankle(s) and knee(s) .....	20	—	20	—	—	40
Ankle(s) and leg(s), n.e.c. ....	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	—	—	20	—	—	90
<b>Body systems</b> .....	350	—	80	140	400	570
<b>Multiple body parts</b> .....	1,610	—	1,000	910	350	2,830
Multiple body parts, unspecified ....	170	—	140	190	50	350
Head and neck .....	—	—	30	20	—	30
Head, neck, and trunk .....	—	—	—	—	—	420
Head and trunk .....	—	—	—	20	—	—
Neck and back .....	40	—	130	40	50	300
Shoulder(s) and back .....	—	—	40	50	20	50
Hip(s) and leg(s) .....	20	—	—	20	—	30
Upper and lower limb(s) .....	310	—	30	70	—	210
Other multiple body parts .....	1,050	—	610	490	210	1,420
Whole body .....	20	—	—	—	—	—
Multiple body parts, n.e.c. ....	1,030	—	610	490	210	1,420

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Summary occupational groups <sup>4</sup>					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
<b>Nonclassifiable</b> .....	9999	2,220	50	40	290	40	1,390	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, local government, 2013  
—Continued

Part of body	Summary occupational groups <sup>4</sup>					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
<b>Nonclassifiable .....</b>	80	—	40	80	—	170

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.